

## Water Indicators

Indicator	Value	Description	Source
Overall Basin Risk (score)	2.20	Overall Basin Risk (score)	
Overall Basin Risk (rank)	170	Overall Basin Risk (rank)	
Physical risk (score)	2.17	Physical risk (score)	
Physical risk (rank)	151	Physical risk (rank)	
Regulatory risk (score)	2.00	Regulatory risk (score)	
Regulatory risk (rank)	156	Regulatory risk (rank)	
Reputation risk (score)	2.51	Reputation risk (score)	
Reputation risk (rank)	113	Reputation risk (rank)	
1. Quantity - Scarcity (score)	1.54	1. Quantity - Scarcity (score)	
1. Quantity - Scarcity (rank)	160	1. Quantity - Scarcity (rank)	
2. Quantity - Flooding (score)	1.85	2. Quantity - Flooding (score)	
2. Quantity - Flooding (rank)	169	2. Quantity - Flooding (rank)	
3. Quality (score)	3.36	3. Quality (score)	
3. Quality (rank)	66	3. Quality (rank)	
4. Ecosystem Service Status (score)	3.37	4. Ecosystem Service Status (score)	
4. Ecosystem Service Status (rank)	25	4. Ecosystem Service Status (rank)	
5. Enabling Environment (Policy & Laws) (score)	1.45	5. Enabling Environment (Policy & Laws) (score)	
5. Enabling Environment (Policy & Laws) (rank)	156	5. Enabling Environment (Policy & Laws) (rank)	
6. Institutions and Governance (score)	2.75	6. Institutions and Governance (score)	
6. Institutions and Governance (rank)	127	6. Institutions and Governance (rank)	
7. Management Instruments (score)	2.01	7. Management Instruments (score)	
7. Management Instruments (rank)	150	7. Management Instruments (rank)	
8 - Infrastructure & Finance (score)	1.55	8 - Infrastructure & Finance (score)	
8 - Infrastructure & Finance (rank)	123	8 - Infrastructure & Finance (rank)	
9. Cultural Diversity (score)	3.00	9. Cultural importance (score)	
9. Cultural Diversity (rank)	81	9. Cultural importance (rank)	
10. Biodiversity Importance (score)	4.34	10. Biodiversity importance (score)	

## Country Overview - Lithuania

Indicator	Value	Description	Source
10. Biodiversity Importance (rank)	37	10. Biodiversity importance (rank)	
11. Media Scrutiny (score)	2.10	11. Media Scrutiny (score)	
11. Media Scrutiny (rank)	176	11. Media Scrutiny (rank)	
12. Conflict (score)	2.16	12. Conflict (score)	
12. Conflict (rank)	133	12. Conflict (rank)	
1.0 - Aridity (score)	1.00	The aridity risk indicator is based on the Global Aridity Index (Global-Aridity) and Global Potential Evapo-Transpiration (Global-PET) Geospatial data sets by Trabucco and Zomer (2009). These data sets provide information about the potential availability of water in regions with low water demand, thus they are used in the Water Risk Filter 5.0 to better account for deserts and other arid areas in the risk assessment.	Trabucco, A., & Zomer, R. J. (2009). Global potential evapo-transpiration (Global-PET) and global aridity index (Global-Aridity) geodatabase. CGIAR consortium for spatial information.
1.0 - Aridity (rank)	175	The aridity risk indicator is based on the Global Aridity Index (Global-Aridity) and Global Potential Evapo-Transpiration (Global-PET) Geospatial data sets by Trabucco and Zomer (2009). These data sets provide information about the potential availability of water in regions with low water demand, thus they are used in the Water Risk Filter 5.0 to better account for deserts and other arid areas in the risk assessment.	Trabucco, A., & Zomer, R. J. (2009). Global potential evapo-transpiration (Global-PET) and global aridity index (Global-Aridity) geodatabase. CGIAR consortium for spatial information.
1.1 - Water Depletion (score)	1.00	The water depletion risk indicator is based on annual average monthly net water depletion from Brauman et al. (2016). Their analysis is based on model outputs from the newest version of the integrated water resources model WaterGAP3 which measures water depletion as the ratio of water consumption-to-availability.	Brauman, K. A., Richter, B. D., Postel, S., Malsy, M., & Flörke, M. (2016). Water depletion: An improved metric for incorporating seasonal and dry-year water scarcity into water risk assessments. <i>Elem Sci Anth</i> , 4.
1.1 - Water Depletion (rank)	188	The water depletion risk indicator is based on annual average monthly net water depletion from Brauman et al. (2016). Their analysis is based on model outputs from the newest version of the integrated water resources model WaterGAP3 which measures water depletion as the ratio of water consumption-to-availability.	Brauman, K. A., Richter, B. D., Postel, S., Malsy, M., & Flörke, M. (2016). Water depletion: An improved metric for incorporating seasonal and dry-year water scarcity into water risk assessments. <i>Elem Sci Anth</i> , 4.
1.2 - Baseline Water Stress (score)	1.98	World Resources Institute's Baseline Water Stress measures the ratio of total annual water withdrawals to total available annual renewable supply, accounting for upstream consumptive use. A higher percentage indicates more competition among users.	Hofste, R., Kuzma, S., Walker, S., ... & Sutanudjaja, E.H. (2019). <i>Aqueduct 3.0: Updated decision relevant global water risk indicators</i> . Technical note. Washington, DC: World Resources Institute.

## Country Overview - Lithuania

Indicator	Value	Description	Source
1.2 - Baseline Water Stress (rank)	93	World Resources Institute's Baseline Water Stress measures the ratio of total annual water withdrawals to total available annual renewable supply, accounting for upstream consumptive use. A higher percentage indicates more competition among users.	Hofste, R., Kuzma, S., Walker, S., ... & Sutanudjaja, E.H. (2019). Aqueduct 3.0: Updated decision relevant global water risk indicators. Technical note. Washington, DC: World Resources Institute.
1.3 - Blue Water Scarcity (score)	1.00	The blue water scarcity risk indicator is based on Mekonnen and Hoekstra (2016) global assessment of blue water scarcity on a monthly basis and at high spatial resolution (grid cells of 30 × 30 arc min resolution). Blue water scarcity is calculated as the ratio of the blue water footprint in a grid cell to the total blue water availability in the cell. The time period analyzed in this study ranges from 1996 to 2005.	Mekonnen, M. M., & Hoekstra, A. Y. (2016). Four billion people facing severe water scarcity. <i>Science advances</i> , 2(2), e1500323.
1.3 - Blue Water Scarcity (rank)	185	The blue water scarcity risk indicator is based on Mekonnen and Hoekstra (2016) global assessment of blue water scarcity on a monthly basis and at high spatial resolution (grid cells of 30 × 30 arc min resolution). Blue water scarcity is calculated as the ratio of the blue water footprint in a grid cell to the total blue water availability in the cell. The time period analyzed in this study ranges from 1996 to 2005.	Mekonnen, M. M., & Hoekstra, A. Y. (2016). Four billion people facing severe water scarcity. <i>Science advances</i> , 2(2), e1500323.
1.4 - Projected Change in Water Discharge (by ~2050) (score)	1.71	This risk indicator is based on multi-model simulation that applies both global climate and hydrological models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). To estimate the change at 2°C of global warming above 1980-2010 levels, simulated annual water discharge was averaged over a 31-year period with 2°C mean warming. Results are expressed in terms of relative change (%) in probability between present day (1980-2010) conditions and 2°C scenarios by 2050.	Schewe, J., Heinke, J., Gerten, D., Haddeland, I., Arnell, N. W., Clark, D. B., ... & Gosling, S. N. (2014). Multimodel assessment of water scarcity under climate change. <i>Proceedings of the National Academy of Sciences</i> , 111(9), 3245-3250.
1.4 - Projected Change in Water Discharge (by ~2050) (rank)	119	This risk indicator is based on multi-model simulation that applies both global climate and hydrological models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). To estimate the change at 2°C of global warming above 1980-2010 levels, simulated annual water discharge was averaged over a 31-year period with 2°C mean warming. Results are expressed in terms of relative change (%) in probability between present day (1980-2010) conditions and 2°C scenarios by 2050.	Schewe, J., Heinke, J., Gerten, D., Haddeland, I., Arnell, N. W., Clark, D. B., ... & Gosling, S. N. (2014). Multimodel assessment of water scarcity under climate change. <i>Proceedings of the National Academy of Sciences</i> , 111(9), 3245-3250.

## Country Overview - Lithuania

Indicator	Value	Description	Source
1.5 - Drought Frequency Probability (score)	2.03	This risk indicator is based on the Standardized Precipitation and Evaporation Index (SPEI). Vicente-Serrano et al. (2010) developed this multi-scalar drought index applying both precipitation and temperature data to detect, monitor and analyze different drought types and impacts in the context of global warming. The mathematical calculations used for SPEI are similar to the Standard Precipitation Index (SPI), but it has the advantage to include the role of evapotranspiration.	Vicente-Serrano, S. M., Beguería, S., & López-Moreno, J. I. (2010). A multiscale drought index sensitive to global warming: the standardized precipitation evapotranspiration index. <i>Journal of climate</i> , 23(7), 1696-1718.
1.5 - Drought Frequency Probability (rank)	126	This risk indicator is based on the Standardized Precipitation and Evaporation Index (SPEI). Vicente-Serrano et al. (2010) developed this multi-scalar drought index applying both precipitation and temperature data to detect, monitor and analyze different drought types and impacts in the context of global warming. The mathematical calculations used for SPEI are similar to the Standard Precipitation Index (SPI), but it has the advantage to include the role of evapotranspiration.	Vicente-Serrano, S. M., Beguería, S., & López-Moreno, J. I. (2010). A multiscale drought index sensitive to global warming: the standardized precipitation evapotranspiration index. <i>Journal of climate</i> , 23(7), 1696-1718.
1.6 - Projected Change in Drought Occurrence (by ~2050) (score)	3.00	This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP) . A drought threshold for pre-industrial conditions was calculated based on time-series averages. Results are expressed in terms of relative change (%) in probability between pre-industrial and 2°C scenarios.	Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development.
1.6 - Projected Change in Drought Occurrence (by ~2050) (rank)	146	This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP) . A drought threshold for pre-industrial conditions was calculated based on time-series averages. Results are expressed in terms of relative change (%) in probability between pre-industrial and 2°C scenarios.	Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development.
2.1 - Estimated Flood Occurrence (score)	1.89	This risk indicator is based on the recurrence of floods within the 34-year time frame period of 1985 to 2019. The occurrence of floods within a given location was estimated using data from Flood Observatory, University of Colorado. The Flood Observatory use data derived from a wide variety of news, governmental, instrumental, and remote sensing source.	Brakenridge, G. R. (2019). Global active archive of large flood events. Dartmouth Flood Observatory, University of Colorado.
2.1 - Estimated Flood Occurrence (rank)	167	This risk indicator is based on the recurrence of floods within the 34-year time frame period of 1985 to 2019. The occurrence of floods within a given location was estimated using data from Flood Observatory, University of Colorado. The Flood Observatory use data derived from a wide variety of news, governmental, instrumental, and remote sensing source.	Brakenridge, G. R. (2019). Global active archive of large flood events. Dartmouth Flood Observatory, University of Colorado.

Indicator	Value	Description	Source
2.2 - Projected Change in Flood Occurrence (by ~2050) (score)	1.00	This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). The magnitude of the flood event was defined based on 100-year return period for pre-industrial conditions. Results are expressed in terms of change (%) in probability between pre-industrial and 2°C scenarios.	Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development.
2.2 - Projected Change in Flood Occurrence (by ~2050) (rank)	195	This risk indicator is based on multi-model simulation that applies both global climate and drought models from the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP). The magnitude of the flood event was defined based on 100-year return period for pre-industrial conditions. Results are expressed in terms of change (%) in probability between pre-industrial and 2°C scenarios.	Frieler, K., Lange, S., Piontek, F., Reyer, C. P., Schewe, J., Warszawski, L., ... & Geiger, T. (2017). Assessing the impacts of 1.5 C global warming-simulation protocol of the Inter-Sectoral Impact Model Intercomparison Project (ISIMIP2b). Geoscientific Model Development.
3.1 - Surface Water Contamination Index (score)	3.36	<p>The underlying data for this risk indicator is based on a broad suite of pollutants with well-documented direct or indirect negative effects on water security for both humans and freshwater biodiversity, compiled by Vörösmarty et al. (2010). The negative effects are specific to individual pollutants, ranging from impacts mediated by eutrophication such as algal blooms and oxygen depletion (e.g., caused by phosphorus and organic loading) to direct toxic effects (e.g., caused by pesticides, mercury).</p> <p>The overall Surface Water Contamination Index is calculated based on a range of key pollutants with different weightings according to the level of their negative effects on water security for both humans and freshwater biodiversity: soil salinization (8%), nitrogen (12%) and phosphorus (P, 13%) loading, mercury deposition (5%), pesticide loading (10%), sediment loading (17%), organic loading (as Biological Oxygen Demand, BOD; 15%), potential acidification (9%), and thermal alteration (11%).</p>	Vörösmarty, C. J., McIntyre, P. B., Gessner, M. O., Dudgeon, D., Prusevich, A., Green, P., ... & Davies, P. M. (2010). Global threats to human water security and river biodiversity. <i>Nature</i> , 467(7315), 555.

Indicator	Value	Description	Source
3.1 - Surface Water Contamination Index (rank)	66	<p>The underlying data for this risk indicator is based on a broad suite of pollutants with well-documented direct or indirect negative effects on water security for both humans and freshwater biodiversity, compiled by Vörösmarty et al. (2010). The negative effects are specific to individual pollutants, ranging from impacts mediated by eutrophication such as algal blooms and oxygen depletion (e.g., caused by phosphorus and organic loading) to direct toxic effects (e.g., caused by pesticides, mercury).</p> <p>The overall Surface Water Contamination Index is calculated based on a range of key pollutants with different weightings according to the level of their negative effects on water security for both humans and freshwater biodiversity: soil salinization (8%), nitrogen (12%) and phosphorus (P, 13%) loading, mercury deposition (5%), pesticide loading (10%), sediment loading (17%), organic loading (as Biological Oxygen Demand, BOD; 15%), potential acidification (9%), and thermal alteration (11%).</p>	Vörösmarty, C. J., McIntyre, P. B., Gessner, M. O., Dudgeon, D., Prusevich, A., Green, P., ... & Davies, P. M. (2010). Global threats to human water security and river biodiversity. <i>Nature</i> , 467(7315), 555.
4.1 - Fragmentation Status of Rivers (score)	3.28	<p>This risk indicator is based on the data set by Grill et al. (2019) mapping the world's free-flowing rivers. Grill et al. (2019) compiled a geometric network of the global river system and associated attributes, such as hydro-geometric properties, as well as pressure indicators to calculate an integrated connectivity status index (CSI). While only rivers with high levels of connectivity in their entire length are classified as free-flowing, rivers of CSI &lt; 95% are considered as fragmented at a certain degree.</p>	Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., ... & Macedo, H. E. (2019). Mapping the world's free-flowing rivers. <i>Nature</i> , 569(7755), 215.
4.1 - Fragmentation Status of Rivers (rank)	43	<p>This risk indicator is based on the data set by Grill et al. (2019) mapping the world's free-flowing rivers. Grill et al. (2019) compiled a geometric network of the global river system and associated attributes, such as hydro-geometric properties, as well as pressure indicators to calculate an integrated connectivity status index (CSI). While only rivers with high levels of connectivity in their entire length are classified as free-flowing, rivers of CSI &lt; 95% are considered as fragmented at a certain degree.</p>	Grill, G., Lehner, B., Thieme, M., Geenen, B., Tickner, D., Antonelli, F., ... & Macedo, H. E. (2019). Mapping the world's free-flowing rivers. <i>Nature</i> , 569(7755), 215.
4.2 - Catchment Ecosystem Services Degradation Level (tree cover loss) (score)	3.89	<p>For this risk indicator, tree cover loss was applied as a proxy to represent catchment ecosystem services degradation since forests play an important role in terms of water regulation, supply and pollution control. The forest cover data is based on Hansen et al.'s global Landsat data at a 30-meter spatial resolution to characterize forest cover and change. The authors defined trees as vegetation taller than 5 meters in height, and forest cover loss as a stand-replacement disturbance, or a change from a forest to non-forest state, during the period 2000 – 2018.</p>	Hansen, M. C., Potapov, P. V., Moore, R., Hancher, M., Turubanova, S. A. A., Tyukavina, A., ... & Kommareddy, A. (2013). High-resolution global maps of 21st-century forest cover change. <i>science</i> , 342(6160), 850-853.

## Country Overview - Lithuania

Indicator	Value	Description	Source
4.2 - Catchment Ecosystem Services Degradation Level (tree cover loss) (rank)	23	<p>For this risk indicator, tree cover loss was applied as a proxy to represent catchment ecosystem services degradation since forests play an important role in terms of water regulation, supply and pollution control.</p> <p>The forest cover data is based on Hansen et al.'s global Landsat data at a 30-meter spatial resolution to characterize forest cover and change. The authors defined trees as vegetation taller than 5 meters in height, and forest cover loss as a stand-replacement disturbance, or a change from a forest to non-forest state, during the period 2000 – 2018.</p>	Hansen, M. C., Potapov, P. V., Moore, R., Hancher, M., Turubanova, S. A. A., Tyukavina, A., ... & Kommareddy, A. (2013). High-resolution global maps of 21st-century forest cover change. <i>science</i> , 342(6160), 850-853.
4.3 - Projected Impacts on Freshwater Biodiversity (score)	2.00	The study by Tedesco et al. (2013) to project changes [% increase or decrease] in extinction rate by ~2090 of freshwater fish due to water availability loss from climate change is used as a proxy to estimate the projected impacts on freshwater biodiversity.	Tedesco, P. A., Oberdorff, T., Cornu, J. F., Beauchard, O., Brosse, S., Dürr, H. H., ... & Hugueny, B. (2013). A scenario for impacts of water availability loss due to climate change on riverine fish extinction rates. <i>Journal of Applied Ecology</i> , 50(5), 1105-1115.
4.3 - Projected Impacts on Freshwater Biodiversity (rank)	147	The study by Tedesco et al. (2013) to project changes [% increase or decrease] in extinction rate by ~2090 of freshwater fish due to water availability loss from climate change is used as a proxy to estimate the projected impacts on freshwater biodiversity.	Tedesco, P. A., Oberdorff, T., Cornu, J. F., Beauchard, O., Brosse, S., Dürr, H. H., ... & Hugueny, B. (2013). A scenario for impacts of water availability loss due to climate change on riverine fish extinction rates. <i>Journal of Applied Ecology</i> , 50(5), 1105-1115.
5.1 - Freshwater Policy Status (SDG 6.5.1) (score)	2.00	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Policy" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
5.1 - Freshwater Policy Status (SDG 6.5.1) (rank)	152	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Policy" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
5.2 - Freshwater Law Status (SDG 6.5.1) (score)	1.00	<p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "National Water Resources Law(s)" indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p>	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.

Indicator	Value	Description	Source
5.2 - Freshwater Law Status (SDG 6.5.1) (rank)	184	<p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National Water Resources Law(s)” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p>	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
5.3 - Implementation Status of Water Management Plans (SDG 6.5.1) (score)	2.00	<p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National IWRM plans” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p>	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
5.3 - Implementation Status of Water Management Plans (SDG 6.5.1) (rank)	162	<p>This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation “National IWRM plans” indicator, which corresponds to one of the three national level indicators under the Enabling Environment category.</p> <p>For SDG 6.5.1, enabling environment depicts the conditions that help to support the implementation of IWRM, which includes legal and strategic planning tools for IWRM.</p>	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
6.1 - Corruption Perceptions Index (score)	3.00	<p>This risk Indicator is based on the latest Transparency International's data: the Corruption Perceptions Index 2018. This index aggregates data from a number of different sources that provide perceptions of business people and country experts on the level of corruption in the public sector.</p>	Transparency International (2019). Corruption Perceptions Index 2018. Berlin: Transparency International.
6.1 - Corruption Perceptions Index (rank)	148	<p>This risk Indicator is based on the latest Transparency International's data: the Corruption Perceptions Index 2018. This index aggregates data from a number of different sources that provide perceptions of business people and country experts on the level of corruption in the public sector.</p>	Transparency International (2019). Corruption Perceptions Index 2018. Berlin: Transparency International.
6.2 - Freedom in the World Index (score)	1.00	<p>This risk indicator is based on Freedom House (2019), an annual global report on political rights and civil liberties, composed of numerical ratings and descriptive texts for each country and a select group of territories. The 2019 edition involved more than 100 analysts and more than 30 advisers with global, regional, and issue-based expertise to covers developments in 195 countries and 14 territories from January 1, 2018, through December 31, 2018.</p>	Freedom House (2019). Freedom in the world 2019. Washington, DC: Freedom House.



## Country Overview - Lithuania

Indicator	Value	Description	Source
6.2 - Freedom in the World Index (rank)	177	This risk indicator is based on Freedom House (2019), an annual global report on political rights and civil liberties, composed of numerical ratings and descriptive texts for each country and a select group of territories. The 2019 edition involved more than 100 analysts and more than 30 advisers with global, regional, and issue-based expertise to covers developments in 195 countries and 14 territories from January 1, 2018, through December 31, 2018.	Freedom House (2019). Freedom in the world 2019. Washington, DC: Freedom House.
6.3 - Business Participation in Water Management (SDG 6.5.1) (score)	4.00	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Business Participation in Water Resources Development, Management and Use" indicator, which corresponds to one of the six national level indicators under the Institutions and Participation category.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
6.3 - Business Participation in Water Management (SDG 6.5.1) (rank)	39	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Business Participation in Water Resources Development, Management and Use" indicator, which corresponds to one of the six national level indicators under the Institutions and Participation category.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
7.1 - Management Instruments for Water Management (SDG 6.5.1) (score)	2.00	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Sustainable and efficient water use management" indicator, which corresponds to one of the five national level indicators under the Management Instruments category.  For SDG 6.5.1, management instruments refer to the tools and activities that enable decision-makers and users to make rational and informed choices between alternative actions.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
7.1 - Management Instruments for Water Management (SDG 6.5.1) (rank)	150	This risk indicator is based on SDG 6.5.1. Degree of IWRM Implementation "Sustainable and efficient water use management" indicator, which corresponds to one of the five national level indicators under the Management Instruments category.  For SDG 6.5.1, management instruments refer to the tools and activities that enable decision-makers and users to make rational and informed choices between alternative actions.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.

## Country Overview - Lithuania

Indicator	Value	Description	Source
7.2 - Groundwater Monitoring Data Availability and Management (score)	1.00	This risk indicator is based on the data set by UN IGRAC (2019) to determine the level of availability of groundwater monitoring data at country level as groundwater management decisions rely strongly on data availability. The level of groundwater monitoring data availability for groundwater management is determined according to a combination of three criteria developed by WWF and IGRAC: 1) Status of country groundwater monitoring programme, 2) groundwater data availability for NGOs and 3) Public access to processed groundwater monitoring data.	UN IGRAC (2019). Global Groundwater Monitoring Network GGMM Portal. UN International Groundwater Resources Assessment Centre (IGRAC).
7.2 - Groundwater Monitoring Data Availability and Management (rank)	183	This risk indicator is based on the data set by UN IGRAC (2019) to determine the level of availability of groundwater monitoring data at country level as groundwater management decisions rely strongly on data availability. The level of groundwater monitoring data availability for groundwater management is determined according to a combination of three criteria developed by WWF and IGRAC: 1) Status of country groundwater monitoring programme, 2) groundwater data availability for NGOs and 3) Public access to processed groundwater monitoring data.	UN IGRAC (2019). Global Groundwater Monitoring Network GGMM Portal. UN International Groundwater Resources Assessment Centre (IGRAC).
7.3 - Density of Runoff Monitoring Stations (score)	3.05	The density of monitoring stations for water quantity was applied as proxy to develop this risk indicator. The Global Runoff Data Base was used to estimate the number of monitoring stations per 1000km <sup>2</sup> of the main river system (data base access date: May 2018).	BfG (2019). Global Runoff Data Base. German Federal Institute of Hydrology (BfG).
7.3 - Density of Runoff Monitoring Stations (rank)	114	The density of monitoring stations for water quantity was applied as proxy to develop this risk indicator. The Global Runoff Data Base was used to estimate the number of monitoring stations per 1000km <sup>2</sup> of the main river system (data base access date: May 2018).	BfG (2019). Global Runoff Data Base. German Federal Institute of Hydrology (BfG).
8.1 - Access to Safe Drinking Water (score)	1.00	This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017.	WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene.
8.1 - Access to Safe Drinking Water (rank)	174	This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017.	WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene.
8.2 - Access to Sanitation (score)	2.00	This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017.	WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene.

Indicator	Value	Description	Source
8.2 - Access to Sanitation (rank)	113	This risk indicator is based on the Joint Monitoring Programme for Water Supply, Sanitation and Hygiene (UNICEF/WHO) 2019 data. It provides estimates on the use of water, sanitation and hygiene by country for the period 2000-2017.	WHO & UNICEF (2019). Estimates on the use of water, sanitation and hygiene by country (2000-2017). Joint Monitoring Programme for Water Supply, Sanitation and Hygiene.
8.3 - Financing for Water Resource Development and Management (SDG 6.5.1) (score)	2.00	This risk indicator is based on the average 'Financing' score of UN SDG 6.5.1. Degree of IWRM Implementation database. UN SDG 6.5.1 database contains a category on financing which assesses different aspects related to budgeting and financing made available and used for water resources development and management from various sources.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
8.3 - Financing for Water Resource Development and Management (SDG 6.5.1) (rank)	166	This risk indicator is based on the average 'Financing' score of UN SDG 6.5.1. Degree of IWRM Implementation database. UN SDG 6.5.1 database contains a category on financing which assesses different aspects related to budgeting and financing made available and used for water resources development and management from various sources.	UN Environment (2018). Progress on integrated water resources management. Global baseline for SDG 6 Indicator 6.5.1: degree of IWRM implementation.
9.1 - Cultural Diversity (score)	3.00	Water is a social and cultural good. The cultural diversity risk indicator was included in order to acknowledge that businesses face reputational risk due to the importance of freshwater for indigenous and traditional people in their daily life, religion and culture. This risk indicator is based on Oviedo and Larsen (2000) data set, which mapped the world's ethnolinguistic groups onto the WWF map of the world's ecoregions. This cross-mapping showed for the very first time the significant overlap that exists between the global geographic distribution of biodiversity and that of linguistic diversity.	Oviedo, G., Maffi, L., & Larsen, P. B. (2000). Indigenous and traditional peoples of the world and ecoregion conservation: An integrated approach to conserving the world's biological and cultural diversity. Gland: WWF (World Wide Fund for Nature) International.
9.1 - Cultural Diversity (rank)	81	Water is a social and cultural good. The cultural diversity risk indicator was included in order to acknowledge that businesses face reputational risk due to the importance of freshwater for indigenous and traditional people in their daily life, religion and culture. This risk indicator is based on Oviedo and Larsen (2000) data set, which mapped the world's ethnolinguistic groups onto the WWF map of the world's ecoregions. This cross-mapping showed for the very first time the significant overlap that exists between the global geographic distribution of biodiversity and that of linguistic diversity.	Oviedo, G., Maffi, L., & Larsen, P. B. (2000). Indigenous and traditional peoples of the world and ecoregion conservation: An integrated approach to conserving the world's biological and cultural diversity. Gland: WWF (World Wide Fund for Nature) International.
10.1 - Freshwater Endemism (score)	4.75	The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Companies operating in basins with higher number of endemic fish species are exposed to higher reputational risks.	WWF & TNC (2015). Freshwater Ecoregions of the World.

## Country Overview - Lithuania

Indicator	Value	Description	Source
10.1 - Freshwater Endemism (rank)	40	The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Companies operating in basins with higher number of endemic fish species are exposed to higher reputational risks.	WWF & TNC (2015). Freshwater Ecoregions of the World.
10.2 - Freshwater Biodiversity Richness (score)	3.92	The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Count of fish species is used as a representation of freshwater biodiversity richness. Companies operating in basins with higher number of fish species are exposed to higher reputational risks.	WWF & TNC (2015). Freshwater Ecoregions of the World.
10.2 - Freshwater Biodiversity Richness (rank)	72	The underlying data set for this risk indicator comes from the Freshwater Ecoregions of the World (FEOW) 2015 data developed by WWF and TNC. Count of fish species is used as a representation of freshwater biodiversity richness. Companies operating in basins with higher number of fish species are exposed to higher reputational risks.	WWF & TNC (2015). Freshwater Ecoregions of the World.
11.1 - National Media Coverage (score)	3.00	This risk indicator is based on joint qualitative research by WWF and Tecnomia (Tyspa Group). It indicates how aware local residents typically are of water-related issues due to national media coverage. The status of the river basin (e.g., scarcity and pollution) is taken into account, as well as the importance of water for livelihoods (e.g., food and shelter).	WWF & Tecnomia (TYPESA Group)
11.1 - National Media Coverage (rank)	169	This risk indicator is based on joint qualitative research by WWF and Tecnomia (Tyspa Group). It indicates how aware local residents typically are of water-related issues due to national media coverage. The status of the river basin (e.g., scarcity and pollution) is taken into account, as well as the importance of water for livelihoods (e.g., food and shelter).	WWF & Tecnomia (TYPESA Group)
11.2 - Global Media Coverage (score)	1.00	This risk indicator is based on joint qualitative research by WWF and Tecnomia (Tyspa Group). It indicates how aware people are of water-related issues due to global media coverage. Familiarity to and media coverage of the region and regional water-related disasters are taken into account.	WWF & Tecnomia (TYPESA Group)
11.2 - Global Media Coverage (rank)	183	This risk indicator is based on joint qualitative research by WWF and Tecnomia (Tyspa Group). It indicates how aware people are of water-related issues due to global media coverage. Familiarity to and media coverage of the region and regional water-related disasters are taken into account.	WWF & Tecnomia (TYPESA Group)

## Country Overview - Lithuania

Indicator	Value	Description	Source
12.1 - Conflict News Events (RepRisk) (score)	3.00	This risk indicator is based on 2018 data collected by RepRisk on counts and registers of documented negative incidents, criticism and controversies that can affect a company's reputational risk. These negative news events are labelled per country and industry class.	RepRisk & WWF (2019). Due diligence database on ESG and business conduct risks. RepRisk.
12.1 - Conflict News Events (RepRisk) (rank)	104	This risk indicator is based on 2018 data collected by RepRisk on counts and registers of documented negative incidents, criticism and controversies that can affect a company's reputational risk. These negative news events are labelled per country and industry class.	RepRisk & WWF (2019). Due diligence database on ESG and business conduct risks. RepRisk.
12.2 - Hydro-political Risk (score)	1.32	This risk indicator is based on the assessment of hydro-political risk by Farinosi et al. (2018). More specifically, it is based on the results of spatial modelling by Farinosi et al. (2018) that determined the main parameters affecting water cross-border conflicts and calculated the likelihood of hydro-political issues.	Farinosi, F., Giupponi, C., Reynaud, A., Ceccherini, G., Carmona-Moreno, C., De Roo, A., ... & Bidoglio, G. (2018). An innovative approach to the assessment of hydro-political risk: A spatially explicit, data driven indicator of hydro-political issues. <i>Global environmental change</i> , 52, 286-313.
12.2 - Hydro-political Risk (rank)	173	This risk indicator is based on the assessment of hydro-political risk by Farinosi et al. (2018). More specifically, it is based on the results of spatial modelling by Farinosi et al. (2018) that determined the main parameters affecting water cross-border conflicts and calculated the likelihood of hydro-political issues.	Farinosi, F., Giupponi, C., Reynaud, A., Ceccherini, G., Carmona-Moreno, C., De Roo, A., ... & Bidoglio, G. (2018). An innovative approach to the assessment of hydro-political risk: A spatially explicit, data driven indicator of hydro-political issues. <i>Global environmental change</i> , 52, 286-313.
Population, total (#)	2872298	Population, total	The World Bank 2018, Data , homepage accessed 20/04/2018
GDP (current US\$)	42738875963	GDP (current US\$)	The World Bank 2018, Data , homepage accessed 20/04/2018
EPI 2018 score (0-100)	69.33	Environmental Performance Index	
WGI -Voice and Accountability (0-100)	71.43	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, <i>The Worldwide Governance Indicators: Methodology and Analytical Issues</i> (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: <a href="https://ssrn.com/abstract=1682132">https://ssrn.com/abstract=1682132</a>

## Country Overview - Lithuania

Indicator	Value	Description	Source
WGI -Political stability no violence (0-100)	76.35	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: <a href="https://ssrn.com/abstract=1682132">https://ssrn.com/abstract=1682132</a>
WGI - Government Effectiveness (0-100)	82.21	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: <a href="https://ssrn.com/abstract=1682132">https://ssrn.com/abstract=1682132</a>
WGI - Regulatory Quality (0-100)	84.62	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: <a href="https://ssrn.com/abstract=1682132">https://ssrn.com/abstract=1682132</a>
WGI - Rule of Law (0-100)	81.73	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: <a href="https://ssrn.com/abstract=1682132">https://ssrn.com/abstract=1682132</a>
WGI - Control of Corruption (0-100)	73.08	Water Governance Indicator	Kaufmann, Daniel and Kraay, Aart and Mastruzzi, Massimo, The Worldwide Governance Indicators: Methodology and Analytical Issues (September 2010). World Bank Policy Research Working Paper No. 5430. Available at SSRN: <a href="https://ssrn.com/abstract=1682132">https://ssrn.com/abstract=1682132</a>

## Country Overview - Lithuania

Indicator	Value	Description	Source
WRI BWS all industries (0-5)	1.19	WRI Baseline Water Stress (BWS)	Gassert, F., P. Reig, T. Luo, and A. Maddocks. 2013. "Aqueduct country and river basin rankings: a weighted aggregation of spatially distinct hydrological indicators." Working paper. Washington, DC: World Resources Institute, December 2013. Available online at <a href="http://wri.org/publication/aqueduct-country-river-basin-rankings">http://wri.org/publication/aqueduct-country-river-basin-rankings</a> .
WRI BWS Ranking (1=very high)	110	WRI Baseline Water Stress (BWS)	Gassert, F., P. Reig, T. Luo, and A. Maddocks. 2013. "Aqueduct country and river basin rankings: a weighted aggregation of spatially distinct hydrological indicators." Working paper. Washington, DC: World Resources Institute, December 2013. Available online at <a href="http://wri.org/publication/aqueduct-country-river-basin-rankings">http://wri.org/publication/aqueduct-country-river-basin-rankings</a> .
Baseline Water Stress (BWS) - 2020 BAU (1=very high)	74	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .
Baseline Water Stress (BWS) - 2020 Optimistic (increasing rank describes lower risk)	76	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .
Baseline Water Stress (BWS) - 2020 Pessimistic (increasing rank describes lower risk)	74	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .

## Country Overview - Lithuania

Indicator	Value	Description	Source
Baseline Water Stress (BWS) - 2030 BAU (increasing rank describes lower risk)	73	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .
Baseline Water Stress (BWS) - 2030 Optimistic (increasing rank describes lower risk)	73	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .
Baseline Water Stress (BWS) - 2030 Pessimistic (increasing rank describes lower risk)	71	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .
Baseline Water Stress (BWS) - 2040 BAU (increasing rank describes lower risk)	70	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .
Baseline Water Stress (BWS) - 2040 Optimistic (increasing rank describes lower risk)	71	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .
Baseline Water Stress (BWS) - 2040 Pessimistic (increasing rank describes lower risk)	69	WRI country ranking	Luo, T., R. Young, and P. Reig. 2015. "Aqueduct projected water stress rankings." Technical note. Washington, DC: World Resources Institute, August 215. Available online at <a href="http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings">http://www.wri.org/publication/aqueduct-projected-water-stress-country-rankings</a> .



## Country Overview - Lithuania

Indicator	Value	Description	Source
Total water footprint of national consumption (m <sup>3</sup> /a/cap)	1515.97	WFN Water Footprint Data	Mekonnen, M.M. and Hoekstra, A.Y. (2011) National water footprint accounts: The green, blue and grey water footprint of production and consumption, Value of Water Research Report Series No. 50, UNESCO-IHE, Delft, the Netherlands. <a href="http://www.waterfootprint.org/Reports/Report50-NationalWaterFootprints-Vol1.pdf">http://www.waterfootprint.org/Reports/Report50-NationalWaterFootprints-Vol1.pdf</a>
Ratio external / total water footprint (%)	26.51	WFN Water Footprint Data	Mekonnen, M.M. and Hoekstra, A.Y. (2011) National water footprint accounts: The green, blue and grey water footprint of production and consumption, Value of Water Research Report Series No. 50, UNESCO-IHE, Delft, the Netherlands. <a href="http://www.waterfootprint.org/Reports/Report50-NationalWaterFootprints-Vol1.pdf">http://www.waterfootprint.org/Reports/Report50-NationalWaterFootprints-Vol1.pdf</a>
Area equipped for full control irrigation: total (1000 ha)	4.44	Aquastat - Irrigation	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Area equipped for irrigation: total (1000 ha)	4.44	Aquastat - Irrigation	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
% of the area equipped for irrigation actually irrigated (%)	34.50	Aquastat - Irrigation	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Electricity production from hydroelectric sources (% of total)	10.76	World Development Indicators	The World Bank 2018, Data , homepage accessed 20/04/2018
Total internal renewable water resources (IRWR) (10 <sup>9</sup> m <sup>3</sup> /year)	15.46	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Total internal renewable water resources (IRWR) (10 <sup>9</sup> m <sup>3</sup> /year)	9.04	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Water resources: total external renewable (10 <sup>9</sup> m <sup>3</sup> /year)	15.46	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13

## Country Overview - Lithuania

Indicator	Value	Description	Source
Total renewable water resources (10 <sup>9</sup> m <sup>3</sup> /year)	24.50	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Dependency ratio (%)	36.90	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
Total renewable water resources per capita (m <sup>3</sup> /inhab/year)	8513.00	Aquastat - Water Ressources	FAO. 2016. AQUASTAT website. Food and Agriculture Organization of the United Nations (FAO). Website accessed on 2018/04/13
World happiness [0-8]	5.95	WorldHappinessReport.org	World Happiness Report, homepage accessed 20/04/2018

## Country Aspects

### 1. PHYSICAL ASPECTS

#### 1.1. WATER RESOURCES

##### 1.1.1. WATER RESOURCES

Rivers and lakes have long been used as waterways, although, with the exception of the Nemunas River in the south of the country, they are not very suitable for navigation. Within the country, there are 722 rivers over 10km long and 21 of them are more than 100km long. Most of the rivers flow across the middle lowland and the western part of the Zemaiciai upland.

Six major river basins can be distinguished in Lithuania:

-The Nemunas basin. It is by far the largest river basin in the country, covering 65.9 per cent of the country. The Nemunas River rises in Belarus and enters Lithuania in the south. It flows first north and then turns to the west. It becomes the border between Lithuania and the Russian Federation before flowing into the Baltic Sea. Its major tributaries are the Neris River, rising in Belarus, and the Sesupe River, rising in Poland.

-The Lielupe basin. It covers 16.4 per cent of the country. Several rivers, such as the Svete, Musa and Memele, rise in the north of Lithuania. They flow into Latvia and become the Lielupe River after their confluence.

-The Venta basin. It covers 9.1 per cent of the country. The Venta River rises in the northwest of Lithuania and flows into Latvia.

-The group of coastal basins. They cover 4.4 per cent of the country.

-The Daugava basin. It covers 4.1 per cent of the country in the northeast. The Daugava River itself does not flow in Lithuania. Some tributaries, rising in Lithuania, flow northeast into Latvia, where they flow into the Daugava River.

-The Pregel basin. It covers less than 0.1 per cent of the country in the southwest. It drains west into the Russian Federation.

The total internal renewable surface water resources (IRSWR) are estimated at 15.36km<sup>3</sup>/year; and incoming surface water resources at 9.34km<sup>3</sup>/year. The outflow into the Russian Federation is estimated at 0.85km<sup>3</sup>/year; the outflow into Latvia at 4.01km<sup>3</sup>/year.

The internal renewable groundwater resources are estimated at 1.2km<sup>3</sup>/year. It is considered that most of the flow is drained out by the river system and does not contribute to the total renewable water resources. However, that part of the groundwater which is withdrawn through wells can be added to the surface flow to make up the total IRWR. The overlap has been estimated at 1km<sup>3</sup>/year.

##### 1.1.2. WATER USE

In 1995, the total water withdrawal for agricultural, domestic and industrial purposes was 253.6 million m<sup>3</sup>, of which only 3.2 per cent was for agricultural purposes. Livestock watering in rural settlements with a centralized water supply is included in domestic water withdrawal. In addition, the nuclear power station used 4,099.2 million m<sup>3</sup> of water for cooling; while 115.7 million m<sup>3</sup> was considered necessary for fisheries and 1 million m<sup>3</sup> for other non-consumptive uses.

The total quantity of produced wastewater in 1995 was 303.8 million m<sup>3</sup>, compared with 446.1 million m<sup>3</sup> in 1990. This fall was mainly the result of reduced industrial production. Of this quantity, 77.9 million m<sup>3</sup>, or 26 per cent (22 per cent in 1990), was treated to reach the quality standards; 171.8 million m<sup>3</sup>, or 56 per cent, was inadequately treated; and 54.1 million m<sup>3</sup>, or 18 per cent, was not treated at all. In 1995, 4.8 million m<sup>3</sup> of wastewater, partly treated in accumulating reservoirs, was re-used for irrigation compared with 44.3 million m<sup>3</sup> in 1990. The remaining wastewater, both treated and untreated, was not re-used directly but discharged to the rivers.

In recent years, many farmers have no longer been able to afford fertilizers and pesticides. This has led to a significant decrease in their use and their leaching from the soil surface, resulting in a reduction in groundwater pollution.

In 1990, the total groundwater abstraction from some 12,000 tube-wells was 497.2 million m<sup>3</sup>. In 1995, it fell to 205.2 million m<sup>3</sup> due to reduced industrial consumption and a decrease in domestic water withdrawal. As a result of the increased price of water for domestic purposes, many water consumers have installed water meters and started saving water. This downward trend is expected to be reversed in the near future, when an expected industrial recovery and a rise in living standards should lead to an increase in industrial and domestic water withdrawal.

#### 1.2. WATER QUALITY, ECOSYSTEMS AND HUMAN HEALTH

Major environmental problems are contamination of soil and groundwater with petroleum products and chemicals at military bases.

Several wastewater treatment plants have been, or are being, built or reconstructed. In 1996, biological wastewater treatment plants were due to start operating in the city of Vilnius. The primary wastewater treatment plant in Kaunas is almost complete and it should become operational in 1997. The Klaipeda wastewater treatment plant is under reconstruction.

At present, the worst ecological situation exists in the Kulpe River in the north (Lielupe basin), to which wastewater from Siauliai city is discharged, and in the Nevezis River below Panevezys (Nemunas basin). The minimal summer discharges of these rivers are very low and therefore the wastewater has to be carefully treated. Part of the Sventoji river flow in the northeast of the Nemunas basin (from 1 to 4m<sup>3</sup>/s) is used to maintain good sanitary conditions in the Nevezis River. For this purpose, a pumping station has been installed near Kavarskas in the Anyksciai district. The Siauliai wastewater treatment plant needs to be reconstructed and water cleaning

efficiency needs to be improved. However, in view of the current economic situation, it is unlikely that these activities will be undertaken in the near future.

## 2. GOVERNANCE ASPECTS

### 2.1. WATER INSTITUTIONS

The main institutions involved in water resources management are:

- The Ministry of Agriculture and Forestry. It is responsible for land reclamation and irrigation. The Land Reclamation Division within the Ministry is responsible for design, equipment, maintenance, land reclamation planning and research.
- The Water Division within the Ministry of Environmental Protection. It is responsible for monitoring design, construction, equipment, maintenance, water planning, water research, sewerage and sanitation.
- The Association of Land Reclamation Enterprises. This is an independent association of most of the land reclamation companies which has indirect links with the Ministry of Agriculture and Forestry. It is the principal public advisory body to the government on all issues related to the activities of land reclamation enterprises.
- The Ministry of Government Reforms and Local Administrations, the Ministry of Building and Urban Development and the local municipalities. They regulate issues on water supply, sewerage and sanitation.
- The Association of Land and Water Management Engineers. This is a non-governmental organization for water management engineers. It is the principal public advisory body to the government on all matters related to land and water management.

### 2.2. WATER MANAGEMENT

Because of the prevailing economic situation, the state can no longer bear the cost of constructing new drainage and irrigation systems, and can only partly cover the maintenance costs of the existing drainage systems. The new farms, which have replaced the kolkhoz, are also in a very precarious situation. This means there is a real danger of the progressive destruction of drainage systems. The future of the remaining irrigation systems is also unclear and, moreover, the cost of irrigation has increased due to rising energy prices. Furthermore, the advisory service that organized the irrigation no longer exists. The state has referred the question of irrigation to the private initiative of farmers and agricultural companies. The Ministry of Agriculture and Forestry limits its activities to the collection of basic data about irrigation systems.

In the future, small-scale irrigation will probably take place more spontaneously under market forces, without government promotion. At present, some farmers are already showing initiative by buying foreign irrigation equipment. Irrigation water charges do not exist, but farmers must obtain an authorization from the Ministry of Environmental Protection to ensure that no damage to the environment will result.

### 2.3. WATER POLICY AND LEGAL FRAMEWORK

The most important European legislation for the protection of waters in Lithuania is the EU Water Framework Directive (WFD). It sets up a new legislative approach setting very ambitious objectives for the quality and protection of the country's waters, and relies on a river basin approach for water management.

General legislation regulating surface water and groundwater protection

- Law of the Republic of Lithuania on Environment Protection (Official Gazette, No. 5-75, 1992; No. 57-1335, 1996).
  - Law of the Republic of Lithuania on Water (Official Gazette, No. 104-2615, 1997; No. 36-1544, 2003).
  - Underground Law of the Republic of Lithuania (Official Gazette, No. 35-1164, 2001).
  - Law of the Republic of Lithuania on Environmental Monitoring (Official Gazette, No. 112-2824, 1997).
  - Law of the Republic of Lithuania on the Environmental Impact Assessment of Planned Economic Activities (Official Gazette, No. 82-1965, 1996; Official Gazette, No. 39-1092, 2000).
  - Law of the Republic of Lithuania on Protected Areas (Official Gazette, No. 63-1188, 1993; No. 108-3902, 2001).
  - Resolution No. 343 On the Approval of Special Conditions for the Exploitation of Land and Forest of the Government of the Republic of Lithuania dated 12 May 1992 (Official Gazette, No. 22-652, 1992; No. 2-43, 1996).
  - Resolution No. 130 On the Approval of State Environmental Monitoring Programme for 2005-2010 of the Government of the Republic of Lithuania dated 7 February 2005 (Official Gazette, No. 19-608, 2005).
  - Order No. 80 On the Approval of the Rules of the Issuance, Renewal and Annulment of Integrated Pollution Prevention and Control Approvals of the Minister of Environment dated 27 February 2002 (Official Gazette, No. 85-3684, 2002; No. 103-3829, 2005; No. 120-4571, 2006; No. 5-230, 2007).
- Basin management of water resources
- Resolution No. 198 On the Approval of the Procedure for the Provision of Information About River Basin Districts to the Society, Water Consumers and Other Interested Parties of the Government of the Republic of Lithuania dated 23 February 2004 (Official Gazette, No. 30-984, 2004).
  - Order No. 457 On the Approval of the Procedure for the Establishment of Objectives of Water Protection of the Minister of Environment of the Republic of Lithuania dated 15 September 2003 (Official Gazette, No. 92-4179, 2003).
  - Order No. 471 On the Formation of River Basin Districts and the Appointment of the Authority for the Administration of These Districts to Achieve Water Protection Objectives of the Minister of Environment of the Republic of Lithuania dated 25 September 2003 (Official Gazette, No. 99-4467, 2003).
  - Order No. 707 On the Attribution of Groundwater Bodies to River Basin Districts of the Minister of

Environment of the Republic of Lithuania dated 24 December 2003 (Official Gazette, No. 21-654, 2004).

-Order No. 719 On the Approval of Methodological Provisions for the Assessment of Groundwater Bodies and Attribution Thereof to River Basin Districts of the Minister of Environment of the Republic of Lithuania dated 24 December 2003.

-Order No. 472 On the Approval of the Procedure for the Description of River Basin Districts, Assessment of Impact of Human Activities on the Condition of Water Bodies, Economic Analysis of the Use of Water and Compilation of Data on River Basin Districts of the Minister of Environment of the Republic of Lithuania dated 25 September 2003 (Official Gazette, No. 99-4468, 2003).

-Order No. 591 On the Approval of the Procedure for the Development of the Plan for the Management of River Basin Districts and the Action Programme to Achieve Water Protection Objectives, and Co-ordination Thereof with Foreign States of the Minister of Environment of the Republic of Lithuania dated 25 November 2003 (Official Gazette, No.114-5170, 2003).

-Order No. 329 On the Approval of the Procedure for the Compilation and Classification of Data on Protected Areas in River Basin Districts of the Minister of Environment of the Republic of Lithuania dated 30 June 2003 (Official Gazette, No. 69-3152, 2003).

-Order No. 726 On the Approval of General Provisions for the Monitoring of Water Bodies of the Minister of Environment of the Republic of Lithuania dated 31 December 2003 (Official Gazette, No. 10-290, 2004).

-Order No. 685 On the Approval of the Procedure for the Collection of Information About Water Protection and Management from Public and Municipal Authorities and Other Public Legal Entities, and Reporting to the Commission of the European Communities of the Minister of Environment of the Republic of Lithuania dated 24 December 2003 (Official Gazette, No. 8-191, 2004).

Reduction of water pollution caused by agricultural sources

-Resolution No. 1076 On the Programme for the Reduction of State Water Pollution Caused by Agricultural Sources of the Government of the Republic of Lithuania dated 26 August 2003 (Official Gazette, No. 83-3792, 2003).

-Order No. 452/607 On the Approval of Provisions for the Protection of Water from Pollution Caused by Nitrogen Compounds from Agricultural Sources of the Minister of Agriculture and the Minister of Environment of the Republic of Lithuania dated 19 December 2001 (Official Gazette, No. 1-14, 2002).

-Order No. D1-367/3D-342 On the Approval of Environmental Provisions for Manure Management of the Minister of Environment and the Minister of Agriculture of the Republic of Lithuania dated 14 July 2005 (Official Gazette, No. 92-3434, 2005).

-Order No. 475/3D-397 On the Approval of the Procedure of Conveying Information About Water Pollution Caused by Agricultural Sources to the European Commission of the Minister of Environment and the Minister of Agriculture of the Republic of Lithuania dated 29 September 2003 (Official Gazette, No. 68-2380, 2004).

Reduction of discharge of hazardous substances with wastewater:

-Order D1-515 On the Approval of Regulation on Wastewater Management of the Minister of

Environment dated 8 October 2007 (Official Gazette, No. 110-4522, 2007).

-Order No. 623 On the Approval of Rules for the Reduction of Water Pollution with Priority Hazardous Substances of the Minister of Environment dated 21 December 2001 (Official Gazette, No. 14-522, 2002).

-Order No. D1-71 On the Approval of the Programme for the Reduction of Water Pollution with Hazardous Substances of the Minister of Environment dated 13 February 2004 (Official Gazette, No. 46-1539, 2004).

-Order No. 643 On the Approval of Recommendations for the Development of Programmes for the Reduction of Water Pollution with Hazardous Substances of the Minister of Environment dated 21 December 2001 (Official Gazette, No. 14-524, 2002).

-Order No. 267 On the Amendment of Certain Orders of the Minister of Environment Regulating Wastewater Management of the Minister of Environment dated 22 May 2002 (Official Gazette, No. 62-2533, 2002).

-Order No. 696 On the Approval of the Procedure for the Compilation of Data on Priority Hazardous Substances and Hazardous Substances and Reporting of the Minister of Environment of the Republic of Lithuania dated 31 December 2002 (Official Gazette, No. 9-314, 2003).

-Order No. 171 Procedure of Primary Accounting and Control of Pollutants Contained in Discharged Wastewater and Exploitation of Water Resources of the Minister of Environment dated 30 March 2001 (Official Gazette, No. 29-941, 2001).

-Order No. 408 On the Approval of the Procedure of Accounting of Wastewater Discharge into the Environment of the Minister of Environment dated 20 December 1999 (Official Gazette, No. 8-213, 2000; No. 83-2903, 2001; No. 5-191, 2002; No. 79-3610, 2003).

Groundwater protection:

-Order No. 472 On the Approval of Rules for Groundwater Protection from Pollution with Hazardous Substances of the Minister of Environment of the Republic of Lithuania dated 21 September 2001 (Official Gazette, No. 83-2906, 2001).

-Order No. 470 On the Approval of the Procedure of Conveying Information About Groundwater Protection from Pollution Caused by Certain Hazardous Substances to the European Commission of the Minister of Environment of the Republic of Lithuania dated 25 September 2003 (Official Gazette, No. 68-2379, 2003).

-Order No. 1-06 On the Approval of the Procedure of Stocktaking the Discharge of Hazardous Substances into Groundwater and Collection of Information of the Director of the Lithuanian Geological Survey under the Ministry of Environment dated 3 February 2003 (Official Gazette, No. 17-770, 2003).

-Order No. 1-59 On the Approval of the Procedure for the Monitoring of Groundwater of Economic Operators of the Director of the Lithuanian Geological Survey under the Ministry of Environment dated 24 October 2003 (Official Gazette, No. 101-4578, 2003).

-Order No. 611 On the Approval of LAND 9-2002 Requirements for Cleaning of Soil and Groundwater Contaminated with Oil Products and the Restriction of Pollution of the Minister of Environment dated 27 November 2002 (Official Gazette, No. 119-5368, 2002).

### **3. GEOPOLITICAL ASPECTS**

No international agreements or treaties on the sharing of water of international rivers exist between Lithuania and its neighbours. An agreement has been signed with Belarus on the exchange of information in the event of accidental pollution in the transboundary rivers. An agreement has been signed with Poland on the monitoring and protection of the transboundary Sesupe River and Lake Galadusis. An agreement with the Russian Federation on the protection and monitoring of the Nemunas River and the Curonian Lagoon might be signed in the future.